


# Quality standard



**PRODUCT: NOVBELT 250 HC 2,5/2000 BLACK**

**QUALITY NUMBER: 06-2016/1**

**DATE: 25.07.2017**

**PRODUCER: KONUS KONEX D.O.O.**

**PRODUCT NUMBER: 9914102**

---

## PRODUCT CHARACTERISTICS:

No.	CHARACTERISTIC	MEASURE UNIT	VALUE	CONTROL METHOD
1.	area weight	g/m <sup>2</sup>	1400 ± 150	ISO 9073-1
2.	thickness	mm	2,6 ± 0,15	ISO 9073-2
3.	breaking strength L	N/mm	100 ± 20	ISO 283
4.	elongation L	%	17 ± 3	ISO 283
5.	tensile strength at 1,0% el.	N/mm	14 ± 2	ISO 283
6.	electrical resistance	Ω	< 1x10 <sup>7</sup>	ISO 284
7.	coefficient of friction in fiber direction	μ	0,20 ± 0,05	ISO 21182
8.	air permeability at 200 Pa	l/dm <sup>2</sup> .min	12 ± 5	ISO 9237
9.	minimum pulley diameter	mm	30	ISO 3684
10.	back flexing min diameter	mm	60	
11.	width	mm	2000	
12.	length of the roll	m	210	
13.	Temperature resistance	°C	-20/+120	

## SIGNATURE OF KONUS KONEX d.o.o.:

Konus Konex Ltd, 3210 Slovenske Konjice, Mestni trg 18, Slovenija, EU

T: +386 3/ 757 3 100, F: +386 3/ 575 4 140, 575 4 368

E: info@konuskonex.com, www.konuskonex.com, www.kofil.com

NOVBELT